







Outpacing the competition with its enhanced engine performance, the Bombardier* Learjet* 40 XR business jet rockets to 51,000 feet (15,545 m) soaring above traffic and bad weather. Fully fueled it flies 7 passengers to their destinations faster than any competing jet, all in the comfort of the tallest, widest and longest cabin in its class.

- · Best-in-class high-speed cruise and exceptional time-to-climb performance
- Enhanced Honeywell TFE731-20-BR engines deliver superior hot & high performance with significantly shorter takeoff distances
- Premium light jet comfort and cabin functionality

GENERAL

Capacity Crew: 2

Passengers: Up to 6 + 1

Engines

Honeywell TFE731-20-BR Thrust: 3,500 lb (15.56 kN) Flat rated to: ISA + 25°C (104°F)

Avionics

- Honeywell Primus 1000 four-tube EFIS
- Engine Instrument/Crew Alerting System (EICAS)
- Honeywell Primus 660 weather radar
- Dual Primus II nav/comm systems
- Traffic Collision Avoidance System (TCAS 2000)
- Enhanced Ground Proximity Warning System (EGPWS) with Windshear Alert
- Emergency Locator Transmitter (ELT)
- Flight Management System (FMS)

PERFORMANCE

Range

•							
Maximum range:							
1,723 NM	1,983 SM	3,191 km					
(NBAA IFR 100 N	IM reserves, ISA, wit	h 4 pax/2 crew					

Spe	ed	Mach	kt	mph	km/h
High	n-speed	0.81	465	535	860
Typi spe	ical cruis ed	e 0.81	465	535	860
Lon spe	g-range ed	0.75	432	497	800

Airfield Performance

Takeoff distance (SL, ISA, MTOW): 4,680 ft (1,426 m) Landing distance (SL, ISA, MLW): 2,660 ft (811 m)

Operating Altitude

Maximum operating altitude: 51,000 ft (15,545 m)

Climb to cruise altitude of 43,000 ft (13,106 m) after MGTOW departure: 23 min, 12 sec

Noise Level (EPNdB)

Flyover (thrust cutback): 75.5 Approach: 93.4 Lateral: 85.1

DIMENSIONS

Exterior

Length: 55.56 ft (16.93 m) Wingspan: 47.78 ft (14.56 m) Wing area: 311.6 ft² (28.95 m²) (basic) Height overall: 14.13 ft (4.31 m)

Interior

Cabin length: 17.67 ft (5.39 m) (from cockpit divider to end of pressurized compartment)

Cabin width: 5.12 ft (1.56 m) (centerline)

Cabin width: 3.2 ft (0.98 m) (floorline)

Cabin height: 4.92 ft (1.50 m)

Floor area: 55.7 ft² (5.17 m²) (excluding cockpit)

Cabin volume: 363 ft³ (10.28 m³) (from cockpit divider to end of pressurized compartment)

Weights

A. Maximum ramp weight: 21.250 lb (9.639 ka)

B. Maximum takeoff weight: 21,000 lb (9,525 kg)

- C. Maximum landing weight: 19,200 lb (8,709 kg)
- D. Maximum zero fuel weight: 16,000 lb (7,257 kg)
- E. Typical basic operating weight: 13.861 lb (6.287 ka)
- F. Maximum fuel weight: 5.375 lb (2.438 kg)

Maximum payload (D-E): 2,050 lb (929 kg)

Payload - maximum fuel (A-E-F): 1,925 lb (873 kg)


Fuel with maximum payload: 5,250 lb (2,381 kg)



Bombardier Aerospace, Business Aircraft, 400 Côte-Vertu Road West, Dorval, Québec, Canada H4S 1Y9 In North America call 800-268-0030 • Elsewhere call 514-855-7698 • www.businessaircraft.bombardier.com

Performance is based on maximum takeoff/landing weight, sea level, standard day (ISA) conditions, unless otherwise noted. All data in this document is approximate, for discussion purposes only and may be subject to certain conditions. This document does not constitute an offer, commitment, representation or warranty of any kind. All data is subject to change without prior notice. The interior images shown are for information purposes only and may represent some optional configurations. The final configuration and performance of the aircraft shall be as per the contractually agreed upon purchase agreement.

©2008 Bombardier Inc. All rights reserved. * Registered Trademark(s) or Trademark(s) of Bombardier Inc. or its subsidiaries. Printed in Canada (07/08)



BOMBARDIER

